1	Option A is correct	To determine the graph with a slope that best represents the average cost per lunch, the student should have calculated that the cost of \$33.75 for 15 school lunches is equivalent to an average cost of \$2.25 per lunch $\left(\frac{33.75}{15} = 2.25\right)$. The student determined that the graph appears to pass through the points located at $(0, 0)$ and $(8, 18)$, and the slope (steepness of a straight line

2019 STAAR Grade 8 Math Rationales

Item #	Rationale	T
2	Option J is correct	To determine the volume (amount of three-dimensional space taken up) of the sphere in cubic

2019 STAAR Grade 8 Math Rationales

Item #	Rationale	
3	Option B is correct	

Item #	Rationale	
4	Option H is correct	To determine which proportion (comparison of two ratios) is true for similar figures (two figures with corresponding angles that are equal and corresponding sides that are proportional), the student should have determined that the angles with similar markings in the large hexagon and small hexagon are corresponding (paired) and are equal, which means that the sides of the figures forming those equal angles are also corresponding and their lengths are proportional. The student should have determined that this proportion is true because $\frac{ST}{EF}$ and $\frac{WR}{CD}$ represent corresponding sides of the large hexagon and the small hexagon.
	Option F is incorrect	The student likely identified a proportion based on the orientation of the figures as given. The student did not identify that side *TU* does not correspond to side *CD* but to side *FA*. The student needs to focus on determining the correspondence between the sides of similar figures.
	Option G is incorrect	The student likely identified that side *TU* corresponds to side *AF* and that side *AB* corresponds to side *UV* but did not take into account the order in which they were placed in the proportion. The student needs to focus on the order of the side lengths that are used in the ratios when writing a true proportion for similar figures.
	Option J is incorrect	The student likely identified that side *ST* corresponds to side *EF* in the second fraction but did not verify whether side *WV* corresponded with side *AB* in the first fraction. The student needs to focus on determining the correspondence between the sides of similar figures.

Item #	Rationale	
5	Option A is correct	To determine which graph represents y as a function of x, the student should have observed that a graph represents a function only when each value of x is paired with only one value of y. The graph shows a horizontal line in which there is only one y-value for each x-value.
	Option B is incorrect	The student likely did not recognize that the x-values of -2 and 2 have at least two different y-values, and therefore the graph does not represent a function. The student needs to focus on the definition of a function and on applying it to determine whether a set of ordered pairs that are part of a graphed line represents a function.
	Option C is incorrect	The student likely did not recognize that the x-values of -2 and 2 have two y-values, and therefore the graph does not represent a function. The student needs to focus on the definition of a function and on applying it to determine whether a set of ordered pairs that are part of a graphed line represents a function.
	Option D is incorrect	The student likely determined that since each ordered pair represented in the graph has an x-value of 2, the graph represents a function. The student needs to focus on the definition of a function and on applying it to determine whether a set of ordered pairs that are part of a graphed line represents a function.

Item #	Rationale	
6	Option J is correct	When a figure is dilated (enlarged or decreased in size), its measurements increase or decrease based on the scale factor (ratio of the length of a side of one figure to the length of the corresponding (paired) side of a similar figure). In order to create a smaller polygon, a scale factor of less than 1 (in this case 0.9) is necessary. The origin (point where the x-axis (horizontal) and the y-axis (vertical) on a coordinate grid cross, represented by the ordered pair $(0, 0)$) as the center of dilation means that each of the points on the dilated figure will be 0.9 as far from the origin as they were on the original figure. If the location of each point was originally represented by (x, y), then the new location will be $(0.9x, 0.9y)$.
	Option F is incorrect	The student likely recognized the need for a scale factor less than 1 but subtracted instead of multiplying. The student needs to focus on understanding how the scale factor affects the dilation.
	Option G is incorrect	The student likely thought that subtracting 7 from both the x-coordinate and the y-coordinate of (x, y) would create a smaller polygon. The student needs to focus on understanding how the scale factor affects the dilation.
	Option H is incorrect	The student likely recognized that dilations are created using multiplication and thought that a fraction would reduce the size of the polygon. The value $\frac{5}{4}$ is greater than 1, creating a polygon larger than the original. The student needs to focus on understanding how the scale factor affects the dilation.

2019 STAAR Grade 8 Math Rationales

Item #	Rationale	
7	Option C is correct	To determine after how many minutes it will take for both aquariums to contain the same amount of water, the student

2019 STAAR Grade 8 Math Rationales

Item #	Rationale	
8	Option H is	

Item #	Rationale	
10	Option F is correct	The student should have determined the transformation (change of a shape using a rotation (circular movement), reflection (flip), translation (slide), or dilation (resize)) of the triangle was a translation. The student made this determination based on how the x-coordinate (horizontal position from 0) of each vertex (corner) of the triangle was the same after the transformation, but the y-coordinate (vertical position from 0) of each vertex was 7 units lower after the transformation. Therefore the rule $(x, y) \rightarrow (x, y - 7)$ describes the triangle moving down 7 units.
	Option G is incorrect	The student identified a reflection across the x-axis (horizontal) instead of the translation of the triangle. The student needs to focus on the effect a transformation has on a figure and the rule that can be used to explain the effect on the figure when graphed on a coordinate grid.
	Option H is incorrect	The student identified the transformation was a translation but chose the rule that describes a horizontal shift to the left instead of the vertical translation of the triangle. The student needs to focus on the effect a transformation has on a figure and the rule that can be used to explain the effect on the figure when graphed on a coordinate grid.
	Option J is incorrect	The student identified the rule that describes a reflection across the y-axis (vertical) instead of the translation of the triangle. The student needs to focus on the effect a transformation has on a figure and the rule that can be used to explain the effect on the figure when graphed on a coordinate grid.

2019 STAAR Grade 8 Math Rationales

Item #	Rationale	
11	Option D is correct	

Item #	Rationale	
12	Option G is correct	To determine which function (equation) can be used to find c, the total amount the coach pays in dollars when k shirts are ordered, the student should have identified the values of m and b in the slope-intercept form of the line, $y = mx + b$. The m represents the rate of change (also referred to as slope, which is the steepness of a straight line when graphed on a coordinate grid). The b represents the y-intercept (value where the line crosses the y-axis (vertical)) and the initial value in a given scenario. Based on the information in the bullets, the student should have identified that "$8 for each shirt" represents the rate of change (m) and the "one-time fee of $24" represents the y-intercept (b). The student should have substituted these values into the slope-intercept form of the line, resulting in $c = 8k + 24$.
	Option F is incorrect	The student likely identified the correct slope of 8 but used the sum of the two values given in the stem as the y-intercept ($24 + 8 = 32$). The student needs to focus on determining the function to represent a verbal description.
	Option H is incorrect	The student likely used the sum of the two values given in the stem as the slope ($24 + 8 = 32$) and the cost per shirt as the y-intercept (8). The student needs to focus on the definitions for slope and y-intercept as well as determining the function to represent a verbal description.
	Option J is incorrect	The student likely reversed the values for the slope and the y-intercept. The student needs to focus on the definitions for slope and y-intercept as well as determining the function to represent a verbal description.

Item #	Rationale	
13	Option C is correct	To determine which scatterplot (graph of plotted points that shows the relationship between two sets of data) does NOT suggest a linear relationship between x and y, the student should have understood that in a scatterplot that DOES suggest a linear relationship between x and y, the data points should resemble a straight line, even if the data points are not in a perfect line. Using this understanding, the student should have identified the graph in which the data points are graphed to resemble a curve.
	Option A is incorrect	The student likely did not pay attention to the NOT in the question and chose a scatterplot that resembled a line with a positive slope. The student needs to focus on attending to the details of the question in problems.
	Option B is incorrect	The student likely recognized the scatterplot resembled a line with a negative slope; however, the student may have thought that since the line does not pass through the origin (point where the x-axis (horizontal) and the y-axis (vertical) on a coordinate grid cross, represented by the ordered pair $(0, 0)$) that the line does not represent a linear relationship. The student needs to focus on the definition of a linear relationship between x and y and how that relationship can be represented graphically.
	Option D is incorrect	The student likely recognized the scatterplot resembled a horizontal line; however, the student may have thought that horizontal lines cannot represent a linear relationship. The student needs to focus on the definition of a linear relationship between x and y and how that relationship can be represented graphically.

2019

2019 STAAR Grade

2019 STAAR Grade 8 Math Rationales

Item #	Rationale	
16	Option J is correct	To determine which statement best describes the as

Item #	Rationale	
17	Option C is correct	To order the completion times from the fastest (smallest number of seconds) to the slowest (greatest number of seconds), the student could have converted the mixed numbers to decimals. This results in decimal values of 12.5, 12.09, 12.4, and 12.8. The student could then have ordered the runners' times by comparing the values to the right of the decimal point. The correct order of the decimals is 12.09, 12.4, 12.5, and 12.8, which means that the correct order of the runners from fastest to slowest is Ellen, Steve, Joe, and Patty. This is an efficient way to solve the problem; however, other methods could be used to solve the problem correctly.
	Option A is incorrect	The student likely misinterpreted "fastest" to mean greatest and ordered the values from greatest value to least value. The student needs to focus on attending to the details of the question in problems that involve ordering mixed numbers and decimals.
	Option B is incorrect	The student likely thought that the value of $12\frac{1}{2}$ was less than the value of $12\frac{2}{5}$. The student needs to focus on comparing mixed numbers correctly.
	Option D is incorrect	The student likely misinterpreted "fastest" to mean greatest and ordered the values from greatest value to least value and thought that the value of $12\frac{1}{2}$ was less than the value of $12\frac{2}{5}$. The student needs to focus on attending to the details of the question in problems that involve ordering mixed numbers and decimals and comparing mixed numbers correctly.

Item #	Rationale	
20	Option G is correct	To determine which graph has a slope that best represents the ratio of orange juice to pineapple juice to $1.\overline{6}$

2019 STAAR Grade 8 Math Rationales

Item #	Rationale	
21	Option D is correct	To determine the best prediction of the total number of pages in a book with

Item #	Rationale	
22	Option G is correct	To determine the perimeter in units of quadrilateral $K'M'P'T'$, the student should have recognized that when a figure is dilated (enlarged or decreased in size), its measurements increase or decrease based on the scale factor (ratio of the length of a side of one figure to the length of the corresponding (paired) side of a similar figure). The student should have realized that a scale factor of $\frac{3}{4}$ means that each side length on the dilated figure ($K'M'P'T'$) will be three-fourths the side lengths of the original figure ($KMPT$). Multiplying the perimeter of quadrilateral $KMPT$, x, by a scale factor of $\frac{3}{4}$ will create a new quadrilateral with a perimeter three-fourths of the original perimeter, $\frac{3}{4}x$.
	Option F is incorrect	The student likelya

Item #	Rationale	
24	Option J is correct	To determine which statement is true, the student should have recognized that the rule given $((x, y) \rightarrow (ax, ay))$ for the transformation (change of a shape using a rotation (circular movement), reflection (flip), translation (slide), or dilation (resize)) creates a dilation. The scale factor (ratio of the length of a side of one figure to the length of the corresponding (paired) side of a similar figure) for the dilation is a. If a figure is dilated by a scale factor between 0 and 1, the new figure will be smaller.
	Option F is incorrect	The student likely thought the rule represented a translation, rotation, or reflection. Each of these types of transformations results in a figure that is congruent to the original figure. The student needs to focus on the rules for transformations and their effects on the new figures.
	Option G is incorrect	The student likely thought the rule represented a translation, rotation, or reflection. Each of these types of transformations results in a figure that is congruent to the original figure. The student needs to focus on the rules for transformations and their effects on the new figures.
	Option H is incorrect	The student likely recognized the transformation as a dilation but did not apply the effects of the scale factor (a) correctly. The student needs to focus on the rules for transformations and their effects on the new figures.

Item #	Rationale	
25	Option C is correct	To determine the situation that can be represented by the inequality $5x < 3x + 2$, the student should have identified the expression on the left side of the inequality symbol as the cost of 5 notebooks and the expression on the right side of the inequality symbol as the cost of 3 notebooks plus an additional $2 item. The inequality symbol given indicates the inequality should be read as “the cost of 5 notebooks is less than the cost of 3 notebooks plus a $2 pen.”
	Option A is incorrect	The student likely confused the meaning of the inequality symbol as “greater than.” The student needs to focus on reviewing the meaning of inequality symbols and the words associated with their use.
	Option B is incorrect	The student likely confused “with a $2-off coupon” to mean adding the coupon and did not apply the meaning of the coupon on the cost in the scenario. The student needs to focus on reviewing the words associated with writing inequalities and their meanings.
	Option D is incorrect	The student likely chose the situation that would model an equation instead of the given inequality. The student needs to focus on reviewing the meaning of inequality symbols and the words associated with their use.

Item #	Rationale	
26	Option G is correct	To determine the total surface area (total area of the surfaces of a three-dimensional figure) of the can, the student should have used the formula for the total surface area of a cylinder, $S = 2\pi rh + 2\pi r^2$, in which r represents the radius

		$\sqrt{\quad}$

Item #	Rationale	
28	Option J is correct	To determine which function (equation) is represented by the graph (line), the student should have determined the values of *m* Rationales is 1.22pl3.835 0 Td (Option)Tj26lope-i1_00 1 od

Item #	Rationale	
	Option H is incorrect	The student likely identified the point (0, 240) and interpreted the y-value as the slope. In order to calculate the slope, the student likely also identified the point (300, 210). The student found the slope by calculating the change in x-values divided by the change in y-values, $m = \frac{300 - 0}{210 - 240} = -\frac{300}{30}$, which simplifies to -10. The student needs to focus on how to use the formula for the slope accurately and understanding the meaning of m and b when writing the function of a line graphed on the coordinate grid.

Item #	Rationale	
29	Option C is correct	Scientific notation is used to express very large and very small numbers. Instead of writing 0.00000001, this value can be expressed as a multiple of 10: $0.00000001 = \frac{1}{10{,}000{,}000} = \frac{1}{10^8} = 10^{-8}$. The shorthand method of translating from standard notation to scientific is to move the decimal point left (when the number is greater than 1) or right (when the number is less than 1) until there is only 1 non-zero number before the decimal point. Any extra zeros prior to that number are not included within the scientific notation. The number of decimal places the point moves determines the value of the exponent. The direction the decimal point is moved determines whether the exponent is positive or negative. Moving the decimal point to the right creates a negative exponent. Moving the decimal point to the left creates a positive exponent. Since the decimal point moves to the right 3 places, the exponent is -3, resulting in 1.429×10^{-3}.
	Option A is incorrect	The student likely only counted the number of places the decimal point moved, not which direction the decimal point moved. The student needs to focus on understanding how to determine the exponent based on the place value when converting standard form to scientific notation.
	Option B is incorrect	The student likely counted the number of zeros after the decimal and did not consider which direction the decimal point was moved. The student needs to focus on understanding how to determine the exponent based on the place value when converting standard form to scientific notation.
	Option D is incorrect	The student likely counted the number of zeros after the decimal as the exponent. The student needs to focus on understanding how to determine the exponent based on the place value when converting standard form to scientific notation.

Item #	Rationale	
30	Option J is correct	To determine which inequality (mathematical relationship between two expressions that are not equal, using symbols to represent “less than” or “greater than”) represents the situation, the student should have written an expression representing the amount in each person’s savings account. The student could have used $330 + 30x$ to represent the amount in Helen’s account, because 330 is the balance of Helen’s savings account when Vince opened his savings account, and $30x$ is the $30 Helen deposited each week for x weeks. The student could have used $0 + 50x$ (or $50x$) to represent the amount in Vince’s account, because 0 is the balance of Vince’s savings account when he opened it, and $50x$ is the $50 Vince deposited each week for x weeks. The question asks for the inequality representing when Helen’s account was greater than Vince’s account, and since all the options were given with the 330 on the right of the inequality symbol, the student should have determined that “$<$” represented Vince’s account balance as “less than” Helen’s account balance.
	Option F is incorrect	The student added $50x$ to Helen’s 330 instead of adding $30x$. The student needs to focus on accurately writing algebraic expressions that represent verbal descriptions.
	Option G is incorrect	The student likely misinterpreted the inequality symbol. The student needs to focus on using the correct symbols to write inequalities.
	Option H is incorrect	The student added $50x$ to Helen’s 330 instead of adding $30x$ and misinterpreted the inequality symbol. The student needs to focus on writing inequalities that represent verbal descriptions.

Item #	Rationale	
33	Option C is correct	To determine which point best represents $\sqrt{3}$, the student could have determined that $\sqrt{3}$ is close to $\sqrt{4}$, which has a value of 2. Since $\sqrt{3}$ is less than $\sqrt{4}$, the value of $\sqrt{3}$ must be less than 2. The student could have then evaluated the point at 1.5 by squaring it, resulting in a value of 2.25, and the point at 1.75 by squaring it, resulting in a value of 3.06. The student should have identified point *C* as the point representing the value of $\sqrt{3}$. This is an efficient way to solve the problem; however, other methods could be used to solve the problem correctly.
	Option A is incorrect	The student likely divided 3 by 3 instead of taking the square root, resulting in 1. The student needs to focus on understanding how to find the square root of a number.

2019 STAAR Grade 8 Math Rationales

Item #	Rationale	
35	Option B is correct	Because it is a linear relationship, the student should have determined the rate of change, which is Francis's earnings per hour. The student could have divided the amount earned by the corresponding number of hours: $17.50 ÷ 1.25, $52.50 ÷ 3.75, or $77.00 ÷ 5.5, any of which results in $14.00 per hour.
	Option A is incorrect	The student used the amount earned for 1.25 hours worked shown in the table. The student needs to focus on using data from a table or graph to determine the rate of change.
	Option C is incorrect	The student found the difference between the first two amounts earned, 75 210 Td [(5)] TJ / T1 _ 11Tf()TjC01 _ 01Tf0

Item #	Rationale	
36	Option F is correct	To determine which statement is true about the value of x, the student could have used the fact that the sum of all three interior angles of a triangle is equal to 180°. So the measure of the missing angle is $180 - (130 + 30) = 20$. Then the student could have used the knowledge that the measure of a straight angle is 180°. Therefore the value of x is $180 - 20 = 160$.
	Option G is incorrect	The student likely knew that the sum of all three interior angles of a triangle is equal to 180° and found the value of the missing interior angle. The student needs to focus on paying attention to the details in the question to complete all the correct operations to solve a problem.
	Option H is incorrect	The student likely knew that a straight angle has a measure of 180° and subtracted $180 - 130$ to find the value of the missing angle as 50°. Then the student assumed that the value of x was the sum of the missing angle and the top angle, $x = 50 + 30 = 80$. The student needs to focus on understanding the concepts of angle sums and the relationship with exterior angles of triangles.
	Option J is incorrect	The student likely knew that the sum of all three interior angles of a triangle is equal to 180° and added the given angles, $130 + 30 = 160$. However, the student then added 160 and 180 instead of subtracting to find the value of the missing angle before finding the value of x. The student needs to focus on applying the correct operations when solving a problem.

Item #	Rationale	
37	Option C is correct	To use a scatterplot (graph of plotted points that shows the relationship between two sets of data) to make a prediction, the student could have drawn a line that closely follows the pattern formed by the points on the graph, and when drawn it had about half of the points above it and the other half below it. A good line for this scatterplot would pass through the points at approximately (0, 250) and approximately (25, 700). The student could have then identified where the grid line marked 45 intersects (crosses over) the line the student drew and determined that the number of points scored corresponding to that point is about 1,060 points. This is an efficient way to solve the problem; however, other methods could be used to solve the problem correctly.
	Option A is incorrect	The student likely drew a line that passes through the points on the graph located at approximately (5, 375) and (15, 600) and determined that the grid line marked at 45 intersects at approximately 1,200 points. The student needs to focus on drawing a line as close as possible to all points with a similar number of points above and below the line.
	Option B is incorrect	The student likely drew a line that passes through the points on the graph located at approximately (15, 450) and (30, 700) and determined that the grid line marked at 45 intersects at approximately 920 points. The student needs to focus on drawing a line as close as possible to all points with a similar number of points above and below the line.
	Option D is incorrect	The student likely drew a line that passes through the points on the graph located at approximately (15, 450) and (30, 875) and determined that the grid line marked at 45 intersects at approximately 1,300 points. The student needs to focus on drawing a line as close as possible to all points with a similar number of points above and below the line.

2019 STAAR Grade 8 Math Rationales

Item #		Rationale
38	17 and any equivalent values are correct	When the line representing the diagonal length of a rectangle is drawn, that line divides the rectangle into two identical right triangles (closed figure

$\sqrt{}$

Item #	Rationale	
39	Option D is correct	The student should have determined that in order for a set of ordered pairs to represent a function (relationship in which each input (x) has a single output (y)), each value of x can only be paired with one value of y. The set of ordered pairs contains only one y-value for each x-value.
	Option A is incorrect	The student likely confused which variable was the input for the function and which variable was the output for the function. The set has one x-value (-1) paired with two different y-values (2 and -2) and another x-value (-2) paired with two different y-values (4 and -4). The student needs to focus on the definition of a function and on applying it to determine whether a set of ordered pairs represents a function.
	Option B is incorrect	The student likely confused which variable was the input for the function and which variable was the output for the function. The set has one x-value (3) paired with two different y-values (9 and 16). The student needs to focus on the definition of a function and on applying it to determine whether a set of ordered pairs represents a function.
	Option C is incorrect	The student likely confused which variable was the input for the function and which variable was the output for the function. The set has one x-value (0) paired with five different y-values (0, 1, 2, -1, and -2). The student needs to focus on the definition of a function and on applying it to determine whether a set of ordered pairs represents a function.

Item #		Rationale
40	Option G is correct	To determine the sum of two bank accounts with different types of interest, the student should have calculated the balance in each account and then added the two amounts. To determine the balance in Account I, the student should have used the formula for simple interest, $I = Prt$, in which P represents the principal (initial loan amount), r represents the interest rate, and t represents the length of time in years, $I = (\$2{,}500)(0.04)(3) = \$300$. The student should have then added the interest to the principal, $\$2{,}500 + \$300 = \$2{,}800$. To determine the balance in Account II, the student should have used the formula for compound interest, $A = P(1 + r)^t$, in which A represents the balance amount (principal and interest combined), $A = \$2{,}500(1 + 0.04)^3 = \$2{,}812.16$. Finally the student should have added $\$2{,}800 + \$2{,}812.16$ and determined that the sum of the two accounts at the end of 3 years was $5,612.16.
	Option F is incorrect	The student likely used the formula for simple interest for both loans, using 3 for 3

Item #	Rationale	
42	Option G is correct	To identify the rule that describes the transformation (change of a shape using a rotation (circular movement), reflection (flip), translation (slide), or dilation (resize)), the student should have recognized that when a shape is translated 5 units to the right, each x-coordinate (horizontal position from 0) is increased by 5 units, which is represented by the expression $x + 5$. When a shape is translated 3 units up, each y-coordinate (vertical position from 0) is increased by 3 units, which is represented by the expression $y + 3$. Therefore the rule $(x, y) \rightarrow (x + 5, y + 3)$ describes this transformation.
	Option F is incorrect	The student likely identified the rule for translating the figure 5 units to the left and 3 units down. The student needs to focus on writing rules for translations and explaining the effect.
	Option H is incorrect	The student likely reversed the relationship between the effect on x and y and identified the rule for translating the figure 3 units to the left and 5 units down. The student needs to focus on writing rules for translations and explaining the effect.
	Option J is incorrect	The student likely reversed the relationship between the effect on x and y and identified the rule to translate the figure 3 units to the right and 5 units up. The student needs to focus on writing rules for translations and explaining the effect.